

BREEDER FERTILITY OXI LICK

4% Urea

Contains antioxidants, anti-inflammatory and immune modulators. This product will increase conception in beef and dairy cows and decrease embryonic mortality, abortion and mastitis and is cost effective enough to be included into commercial operations. The Vitamin D metabolite inclusion is proven to more than double the absorption of Phosphorus and Calcium lowering the cost of P supplementation and increasing herd health through energy metabolism, daily intake, live weight gains, skeletal growth and structure, digestion and metabolism of proteins, milk production and fertility and will also increase colostrum, concentration and volume.

This product is designed for recipient, donor and breeder cows and heifers and is to be fed for 35 days only and ideally 30 days prior to natural joining, AI, ET and IVF and 5 days after.

Nutritional Analysis per Kg (as fed basis)

ACTIVE	As fed %
Min. Crude Protein	11%
Min. Equivalent Protein	13%
Min. Total Protein	24%
Urea	4%
Molasses	1%
Calcium	9%
Phosphorus	5%
Sulphur	0.9%
Magnesium	0.8%
Salt	25%
Crude Fat (EE)	3.5%

Micro minerals: Zinc, manganese, copper, iodine, cobalt and selenium.
(organic & inorganic)

Vitamins & metabolite: A, D3, E, Biotin (B7) and 25-hydroxycholecalciferol.
Contains Lasalocid sodium 75 ppm/Kg ***Contains β-carotene.**

Daily intake: Cattle - approximately 500g/0.5Kg per head/day **for 35 days max.** (see above)

Feeding Directions: Ensure that cattle are not starving when introduced to this product. Allow continuous access once feeding has commenced. Provide clean, fresh water at all times.

Safety Directions: Avoid contact with eyes and skin. Avoid breathing dust.

First Aid: Call Poisons Information Centre for advice 24 hrs (13 11 26) or nearest doctor at once. If contact with eyes occurs, wash out immediately with clean water. If contact with skin or hair occurs, remove contaminated clothing and flush skin with running water.

DO NOT FEED TO HORSES AND OTHER MONOGASTRICS. THIS PRODUCT MAY BE FATAL.
Keep out of reach of children. For animal treatment only.

With holding Period: Meat = Nil, Milk = Nil. Store below 30°C (Room Temp), in a dry place. Best used within 24 months.

Warning: THIS PRODUCT CONTAINS UREA – UREA CAN BE TOXIC TO LIVESTOCK & OTHER ANIMALS

*Products containing urea and other non-protein-nitrogen can be toxic to livestock causing illness and or death. Do not feed to starving, hungry or emaciated cattle and ensure that adequate fibre is always available. Livestock management and environmental conditions vary between locations and consideration of these dangers must be managed correctly. Urea supplementation should commence before animals lose weight, but effective urea supplementation can reduce rate of weight loss and promote feed efficiency, promoting animal weight gain. Effective supplementation can increase pasture or dry matter intake.

*The success of this product/supplement is dependent on other production and nutritional factors being managed correctly. Most important is the supply of energy and protein through quality feed as well as good animal husbandry.

*The use of this product after distribution or sale is beyond the control of **Morgan Feed Supplies**. Therefore, no warranty is given nor shall be implied for its suitability for any purpose. The manufacturer and their employees/contractors accept no responsibility for any consequence arising from the above-mentioned guides & product.

Medicated animal food product.

This product does not contain restricted animal material.